

INDEX TO VOLUME XXXII¹

INDEX TO AUTHORS AND TITLES

- Alexopoulos, Constantine John.** Some fungi from Greece 336
- Bache-Wiig, Sara.** Contributions to the life history of a systemic fungous parasite, *Cryptomycina Pteridis* 214
- Beardslee, Henry Curtis & Burlingham, Gertrude Simmons.** Interesting species of Lactariae from Florida 575
- Bessey, Ernst Athearn, Overholts, Lee Oras, Shear, Cornelius Lott & Snell, Walter Henry.** Mycological Society of America—Summer foray 417.
- Bishop, Harlow.** A study of sexuality in *Sapromyces Reinschii* 505
- Buller, Arthur Henry Reginald & Dowding, Eleanor Silver.** Nuclear migration in *Gelasinospora* 471
- Burlingham, Gertrude Simmons & Beardslee, Henry Curtis.** Interesting species of Lactariae from Florida 575
- Butler, Ellys Theodora.** Studies in the Patellariaceae 791
- Cash, Edith Katherine & Davidson, Ross Wallace.** Some new species of Ascomycetes on coniferous hosts 728
- Chardon, Carlos Eugenio, Miller, Julian Howell & Muller, Albert Stanley.** Ascomycetes from the State of Minas Geraes (Brazil) 172
- Charles, Vera Katharine.** An entomogenous fungus on spider mites on water hyacinth 537
- Chupp, Charles David.** Further notes on double cover-glass mounts 269
- Cooke, William Bridge.** Mycobiota of North America 416
- Cummins, George Baker.** Uredinales of New Guinea 359
- Davidson, Ross Wallace.** Heterothallism in *Ceratostomella multiannulata* 644
- & **Cash, Edith Katherine.** Some new species of Ascomycetes on coniferous hosts 728
- & **Shear, Cornelius Lott.** A new species of *Dothiora* on aspen and willow 105
- Davis, Benjamin Harold.** A new *Cercospora* on *Lippia cardiostegia* 170
- Dearness, John.** Distribution of a slime-mold 265
- Diehl, William Webster.** Mounting fluids and double cover-glass mounts 570
- Dowding, Eleanor Silver & Buller, Arthur Henry Reginald.** Nuclear migration in *Gelasinospora* 471
- Drechsler, Charles.** Three new Hyphomycetes preying on free-living terricolous nematodes 448

¹ This index was prepared by Gussie Mildred Miller.

INDEX TO VOLUME XXXII¹

INDEX TO AUTHORS AND TITLES

- Alexopoulos, Constantine John.** Some fungi from Greece 336
- Bache-Wiig, Sara.** Contributions to the life history of a systemic fungous parasite, *Cryptomycina Pteridis* 214
- Beardslee, Henry Curtis & Burlingham, Gertrude Simmons.** Interesting species of Lactariae from Florida 575
- Bessey, Ernst Athearn, Overholts, Lee Oras, Shear, Cornelius Lott & Snell, Walter Henry.** Mycological Society of America—Summer foray 417.
- Bishop, Harlow.** A study of sexuality in *Sapromyces Reinschii* 505
- Buller, Arthur Henry Reginald & Dowding, Eleanor Silver.** Nuclear migration in *Gelasinospora* 471
- Burlingham, Gertrude Simmons & Beardslee, Henry Curtis.** Interesting species of Lactariae from Florida 575
- Butler, Ellys Theodora.** Studies in the Patellariaceae 791
- Cash, Edith Katherine & Davidson, Ross Wallace.** Some new species of Ascomycetes on coniferous hosts 728
- Chardon, Carlos Eugenio, Miller, Julian Howell & Muller, Albert Stanley.** Ascomycetes from the State of Minas Geraes (Brazil) 172
- Charles, Vera Katharine.** An entomogenous fungus on spider mites on water hyacinth 537
- Chupp, Charles David.** Further notes on double cover-glass mounts 269
- Cooke, William Bridge.** Mycobiota of North America 416
- Cummins, George Baker.** Uredinales of New Guinea 359
- Davidson, Ross Wallace.** Heterothallism in *Ceratostomella multiannulata* 644
- & **Cash, Edith Katherine.** Some new species of Ascomycetes on coniferous hosts 728
- & **Shear, Cornelius Lott.** A new species of *Dothiora* on aspen and willow 105
- Davis, Benjamin Harold.** A new *Cercospora* on *Lippia cardiostegia* 170
- Dearness, John.** Distribution of a slime-mold 265
- Diehl, William Webster.** Mounting fluids and double cover-glass mounts 570
- Dowding, Eleanor Silver & Buller, Arthur Henry Reginald.** Nuclear migration in *Gelasinospora* 471
- Drechsler, Charles.** Three new Hyphomycetes preying on free-living terricolous nematodes 448

¹ This index was prepared by Gussie Mildred Miller.

- Elrod, Ralph Perry & Snell, Walter Henry. Development of the carpophores of certain Boletaceae 493
- Fischer, George William. Two cases of haplo-lethal deficiency in *Ustilago bullata* operative against saprophytism 275
- Goodding, Leslie Newton & Long, William Henry. Notes on *Gymnosporangium Cupressi* 489
- Groves, James Walton. Some *Dermatea* species and their conidial stages 736; Three *Pezizula* species occurring on *Alnus* 112
- Hagelstein, Robert. Correction 264; Notes on the Mycetozoa—IV 376
- Hahn, Glenn Gardner. Dasyscyphae on conifers in North America. IV. Two new species on Douglas fir from the Pacific Coast 137
- Hotson, Hugh Howison. The genus *Armillaria* in western Washington 776
- Howell, Arden. Studies on *Histoplasma capsulatum* and similar form-species. II. Effect of temperature 671
- Jeffers, Walter Fulton. Studies on *Caryospora putaminum* 550
- Jenkins, Anna Eliza. *Taphrina Carveri* recently discovered in Missouri 266
- & Ray, William Winfield. A new host for *Taphrina Dearnessii* and geographic distribution of *Taphrina* on North American maples 408
- Johnson, Aaron Guy & Sprague, Roderick. *Selenophoma* on grasses 415
- Kanouse, Bessie Bernice & Smith, Alexander Hanchett. Two new genera of Discomycetes from the Olympic National Forest 756
- Kern, Frank Dunn & Thurston, Henry Winfred. A further report on the Uredinales of Colombia 621
- Limber, Donald Phillips. A new form genus of the Moniliaceae 23
- Linder, David Hunt. Evolution of the Basidiomycetes and its relation to the terminology of the basidium 419
- Long, William Henry & Goodding, Leslie Newton. Notes on *Gymnosporangium Cupressi* 489
- & Plunkett, Orda Allen. Studies in the Gasteromycetes I. The genus *Dictyocephalos* 696
- Luttrell, Everett Stanley. An undescribed fungus on Japanese cherry 530; *Morenoella quercina*, cause of leaf spot of oaks 652
- Mains, Edwin Butterworth. *Cordyceps* species from British Honduras 16; Species of *Cordyceps* 310
- Martin, George Willard. Some Heterobasidiomycetes from eastern Canada 683
- Miller, Julian Howell. The genus *Myriangium* in North America 587
- & Thompson, George Edward. Georgia Pyrenomycetes I 1
- , Muller, Albert Stanley & Chardon, Carlos Eugenio. Ascomycetes from the State of Minas Geraes (Brazil) 172
- Moss, Ezra Henry. Overwintered giant puff-balls in Alberta 271
- Muller, Albert Stanley, Chardon, Carlos Eugenio & Miller, Julian Howell. Ascomycetes from the State of Minas Geraes (Brazil) 172
- Murrill, William Alphonso. *Craterellus unicolor* Berk. & Rav. in Florida 415
- Overholts, Lee Oras. Mycological notes for 1936-38 251
- , Shear, Cornelius Lott, Snell, Walter Henry & Bessey, Ernst Athearn. Mycological Society of America—Summer foray 417

- Plakidas, Antonios George.** Angular leaf spot of *Pittosporum* 601
- Plunkett, Orda Allen & Long, William Henry.** Studies in the Gasteromycetes I. The genus *Dictyocephalos* 696
- Raper, John Robert.** Sexuality in *Achlya ambisexualis* 701
- Ray, William Winfield.** A new *Cercospora* from Oklahoma 271; A new host for *Taphrina bacteriospora* 752; A new species of *Taphrina* on alder 155; Notes on *Gymnosporangium* in Oklahoma 572
- & **Jenkins, Anna Eliza.** A new host for *Taphrina Dearnessii* and geographic distribution of *Taphrina* on North American maples 408
- Remsburg, Ruth Elizabeth.** A new species of *Pistillaria* on rice straw 667; Studies in the genus *Typhula* 52
- Routien, John Broderick.** A key to agarics 416; Cultural and genetical studies of certain agarics 97; Two new Gasteromycetes 159
- Salvin, S. B.** The occurrence of five successive swarming stages in a non-sexual *Achlya* 148
- Seaver, Fred Jay.** A new powdery mildew 649; Editor's note 127; Financial status of Mycologia 574; Fungi of the Duke Forest 264; Heterothallism in *Ascobolus geophilus* 264; North American Flora 570; Other poisonings with *Clitocybe illudens* 267; Photographs and descriptions of cup-fungi—XXXV. A new species of *Patella* 567
- & **Waterston, John MacLaren.** Contributions to the mycoflora of Bermuda—I 388
- Shear, Cornelius Lott.** Mycological notes. IV 541
- & **Davidson, Ross Wallace.** A new species of *Dothiora* on aspen and willow 105
- , **Snell, Walter Henry, Bessey, Ernst Athearn & Overholts, Lee Oras.** Mycological Society of America—Summer foray 417
- Smith, Alexander Hanchett & Kanouse, Bessie Bernice.** Two new genera of Discomycetes from the Olympic National Forest 756
- Smith, Ralph I.** Studies on two strains of *Aphanomyces laevis* found occurring as wound parasites on crayfish 205
- Snell, Walter Henry & Elrod, Ralph Perry.** Development of the carpophores of certain Boletaceae 493
- , **Bessey, Ernst Athearn, Overholts, Lee Oras & Shear, Cornelius Lott.** Mycological Society of America—Summer foray 417
- Snyder, William Cowperthwaite.** White perithecia and the taxonomy of *Hypomyces Ipomoeae* 646
- Sprague, Roderick.** A third species of *Mastigosporium* on Gramineae 43
- & **Johnson, Aaron Guy.** *Selenophoma* on grasses 415
- Stevens, Russell Bradford.** Certain nuclear phenomena in *Albugo Portulacae* 46
- Sumstine, David Ross.** *Tyromyces graminicola* 268
- Thompson, George Edward & Miller, Julian Howell.** Georgia Pyrenomycetes I 1
- Thurston, Henry Winfred.** The rusts of Minas Geraes, Brazil based on collections by A. S. Muller 290
- & **Kern, Frank Dunn.** A further report on the Uredinales of Colombia 621

- Vinje, Mary Taylor. Studies in *Ceratostomella montium* 760
 Walker, Leva Belle. Development of *Gasterella lutophila* 31
 Waterston, John MacLaren & Seaver, Fred Jay. Contributions to the mycoflora of Bermuda—I 388
 Wehmeyer, Lewis Edgar. Cultural histories of *Melanconis* and *Pseudo-valsae*. IV 321
 Whelden, Roy Maxfield. "Mutations" in *Aspergillus niger* bombarded by low voltage cathode rays 630
 Whetzel, Herbert Hice. *Sclerotinia bifrons* 124
 — & White, William Lawrence. *Mollisia tetrica*, *Peziza Sejournei*, and the genera *Phaeociboria* and *Pycnopeziza* 609
 White, William Lawrence & Whetzel, Herbert Hice. *Mollisia tetrica*, *Peziza Sejournei*, and the genera *Phaeociboria* and *Pycnopeziza* 609
 Wolf, Frederick Adolph. A leafspot fungus on *Nyssa* 331; *Cercospora* leafspot of red bud 129
 Zeller, Sanford Myron. *Dodgea Malencon* 681

INDEX TO GENERA AND SPECIES

New names and the final members of new combinations are in **bold face type**. Mistakes in the spelling of scientific names encountered in text are corrected in the index.

- Abrothallus microspermus 792
 Acanthonitschkea 730; argentinensis 730; **coloradensis** 728-731; macrobarbata 730
 Acarosporium sympodiale 618, 619
 Achlya 148-151, 153, 523, 525, 529, 710, 712, 713, 726, 727; ambisexualis 710, 712, 714-716, 719-723, 725; ambisexualis abjointa 712, 713; ambisexualis gracilis 712, 713; bisexualis 505, 518, 523, 529, 710, 711, 714, 721, 722, 726; racemosa 149, 153; regularis 710, 712, 717
Acrospormoides 12, 13; **subulata** 11, 13, 15
 Acrospormum 13; compressum 14
 Acrostalagmus cinnabarinus 407
 Actinomyces scabies 337
 Aecidium 292, 294, 375; **advectionium** 375; **brasiliense** 291; **Capici** 622, 625; **circinatum** 291; **foederatum** 371, 374; **Hecatactidis** 375; **innatum** 374; **Kaernbachii** 374; **lindavianum** 291; **Mabeae** 291; **Maprouneae** 291, 292; **microstomum** 375; **Mülleri** 292; **Nectandrae** 292; **Plantaginis-variae** 375; **Tournefortiae** 292; **Verbenae** 298; **Xanthoxyli** 292; **xanthoxylinum** 292
 Agaricus 776, 789; **campestris** 404
 Ailographum 654
 Albugo 51; **Bliti** 46, 49, 51; **candida** 46, 47, 49, 51, 338, 339; **Portulacae** 46, 47, 49, 50
 Aleurina tetrica 609, 610, 615
 Aleurodiscus 688; **amorphus** 687
 Alternaria 677; **Brassicae** 353, 356
 Amanita pantherina 789
 Anellaria separata 99-102
 Anisostomula 7, 8; **polystigma** 7
 Aphanomyces 205, 207, 209, 212; **astaci** 205, 210, 211, 213; **camptostylus** 207; **cladogamus** 207; **laevis** 205-213; **magnusi** 205, 211; **ovidestruens** 213
 Apiospora Apiospora 176; **controversa** 202
 Apiosporina 179
 Apodachlya 726; **brachynema** 528
 Apostemidium vibrissaeoides 251, 257
 Araiopora 509, 529
 Arcyria globosa 376
 Armillaria 776-778, 782, 788, 789; **albolanaripes** 781, 787; **amiantina** 777, 779, 783-785; **arenicola** 776, 787; **aurantia** 781, 787, 788; **badicephala** 780, 786; **cinnabarina** 779, 786; **corticata** 776-778, 782, 787; **dryina** 776-778, 782, 787; **granosa** 777, 778, 783-785, 787; **granulosa** 779, 784-787;

- granulosoides 778, 780, 786;
magnivelaris 787; matsutake 787;
mellea 776, 778, 782, 789; pon-
derosa 776, 780, 787, 788; ro-
busta 781, 788; rugoso-reticulata
779, 784, 785; viscidipes 780, 786
- Arrhytidia 436
- Arthonia 812, 820; melaspermella
817, 822
- Arthrobotrys dactyloides 448, 450,
452, 454; superba 467
- Aschersonia 314, 320; marginata
538
- Ascobolus geophilus 264; magni-
ficus 407; Persoonii 389; viridis
264
- Ascocalyx Abietis 123
- Ascochyta Pisi 350, 352
- Ascocorticium 423, 427
- Ascoglyphus 759; granulatus 407
- Ascospora Citharexylis 400
- Aspergillus 590, 631, 635, 636, 639,
642; niger 630, 631, 641, 642
- Asperisporium Caricae 537
- Asplenium 214
- Asterina 662, 665; Miconiae 202;
spissa 662, 663
- Atichia 600
- Atropellis pinicola 144
- Aulographum 654; quercinum 654
- Auricularia 429, 432; Auricula-
Judae 421
- Aylographum 654
- Badhamia decipiens 377; ovispora
377
- Bagnisiopsis tijucensis 185, 204
- Balansia 172; ambiens 174; dis-
coidea 174
- Battareopsis 697; Artini 697, 699,
701, 702, 709
- Battarrea 696, 700; attenuata 697,
699-701, 703
- Belonidium clavatum 810, 812
- Biatorella 793; difformis 811; re-
sinae 792
- Bitzea Ingae 292, 622, 623, 628
- Blastomyces dermatitidis 675
- Blitrydium 811; Cucurbitaria 810;
fenestratum 811; melaxanthum
811; signatum 812; subsiduum
812
- Boletellus 494
- Boletinellus 494
- Boletinus 493, 494; cavipes 494,
498, 502, 504; pictus 501-504;
spectabilis 501, 503, 504
- Boletus 493, 494, 499, 503; ameri-
canus 498-500, 503; Betulae 260;
chrysenteron 494; edulis 494;
elegans 493, 494, 499; flavus 494,
498, 499, 502; granulatus 494,
498-500, 503; luteus 493; mira-
bilis 258, 259; parasiticus 494;
placidus 495, 496, 498, 499, 503;
subluteus 499; viscidus 494; Zel-
leri 493, 494, 499
- Bothrodiscus pinicola 123
- Botryobasidium 443, 444
- Botrytis 677; cinerea 355
- Bourdottia 686
- Bubakia Ehretiae 370
- Buellia 813, 814; myriocarpa 813,
819; punctata 820; Trypethelii
821
- Buellia 813, 821; Trypethelii 821
- Caldesia 792, 820; Sabinae 820
- Calocera 436
- Calonectria **Crescentiae** 395, 404;
fimbriata 395, 404; Umbellifera-
rum 394, 404
- Calonema 378; aureum 377
- Calvatia gigantea 271
- Camarops 549; lutea 549; **pugillus**
549
- Camillea macromphala 180; Sa-
graeana 180; turbinata 180
- Capnodium Citri 173; Theae 173
- Carlia 1, 2 14; Oxalidis 1
- Caryospora 557, 558, 561, 564, 565;
callicarpa 558; cariosa 558; Cof-
feae 558; Langloisii 558; lichen-
opsis 559; **minima** 561-565;
minor 559; nuclearia 559; ole-
arum 559; putaminum 550-553,
556, 557, 559-561, 563, 564
- Catacauma 188, 189, 200; **copai-
feriicola** 185, 187; Hammari 187;
mucosum 187; Myrciae 188;
selenosporum 188; semilunatum
188; **Tephrosiae** 187, 188; vene-
zuelense 189
- Catenophora** 535; **Pruni** 536
- Catinella nigroolivacea 810-812
- Cenangium 254, 728, 734, 791;
Abietis 734, 735; asterinosporum
593, 595, 596; **atropurpureum**
729, 734; concinnum 806, 807;
griseum 251, 257; inconstans
739; molluscum 736, 739, 750;
subnitidum 739, 740, 743, 750
- Cephalosporium 730
- Ceracea 436, 694; **canadensis** 689,
693, 695
- Ceratella 667, 668
- Ceratobasidium 441-444
- Ceratostomella 3, 4, 545, 644, 760-
762, 772, 774; adiposa 761, 770-
772; **fimbriata** 176, 760-762, 769-
772, 774; ips 644; moniliformis
761, 762, 771; montium 763, 769,

- 771, 772, 774; multiannulata 644, 645, 761, 770-772, 774; Piceae 761, 769, 771, 772
- Cercospora 129, 130, 133, 136, 170, 172, 270, 271, 601; Capparidis 353, 356; **Cardiostegiae** 170, 171; Caricae 537; cercidicola 129-131, 133, 135; cercidicola coremioides 130, 135; **Laburni** 271; Lippiae 170; Myrti 356; myrticola 353, 356; neriella 353, 357; omphalodes 253; **Pittospori** 607; **Polemonii** 253; smilacina 353, 357; sphaeroidea 537
- Ceratomyces Zelleri 504
- Cerotelium 369, 370; desmium 293; Fici 293, 370; malvicolium 293
- Ceuthocarpon 10, 179; populinum 179
- Chaenotheca chrysocephala 813
- Chaetomella atra 353, 354
- Chaetomium cochliodes 630, 641
- Chardonella 622; Gynoxidis 623
- Chlamydomys 696
- Chondropodium hystricinum 745
- Chrysomyxa 367
- Ciboria 611; pachyderma 612, 617; Sejournei 612, 616
- Cintractia Montagnei 437, 439
- Cladobotryum 539
- Cladosporium 254, 804; herbarum 353, 356
- Clavaria 52, 54, 55, 65, 260, 405, 667; cylindrica 67; granulata 74; gyrans 74; hirta 67; juncea 67; juncea vivipara 67; phacorrhiza 65, 66, 95; pistillaris 260, 415; scutellata 68; setipes 75; trichopus 75; triuncialis 67; triuncialis juncea 67; vermicularis 404; vermiculata 404; virgultorum 67
- Clavariopsis 441
- Claviceps 172; Paspali 174
- Clitocybe 776; illudens 267, 268
- Cnazonaria setipes 75
- Coccostroma Machaerii 185
- Coleosporium 367, 435; Elephantopodis 293; Inulae 342; Ipomoeae 293; Pulsatillae 440; Tussilaginis 343, 344
- Collema 588
- Colletotrichum gloeosporioides 350, 354
- Collybia 776
- Comatricha 379; Rispaudii 378; subcaespitosa 376; Suksdorfii 378
- Coniothyrium concentricum 352, 353
- Coprinus 163, 168; atramentarius 97, 98; comatus 97, 98; disseminatus 104; fimetarius 102; fimetarius macrorrhizus 97-102; lagopus 471, 487; micaceus 97-102; plicatilis 97-102; quadrifidus 97, 98; radians 97-101; radiatus 97, 98; semilantanus 97-102; sphaerosporus 103
- Corbulospora** 364; **Clemensiae** 365, 366; **gravida** 365, 366
- Cordyceps 16, 22, 310, 312, 319, 320; acicularis 313, 317, 318; amazonica 16-18, 312; arachnophila 314; **belizensis** 19, 21; Blatae 16; carolinensis 317; Cockereilii 316; crinalis 311-313; curculionum 17, 18; Cusu 316; elongata 18, 20; formicivora 310; Glaziovii 312; gracilis 312; Grylotalpae 312; Hunti 20, 22; joaquiensis 312; Klenei 20; locustiphila 18; Lunti 20; martialis 20, 21, 313, 314; Melolanthae 313, 314, 316; militaris 20; **monticola** 310-312; myrmecophila 310, 315, 318, 319; Ravenelii 318; Rickii 313-316; rubra 20; sphecocephala 319; Sphingum 19, 21, 312, 313, 316; submilitaris 19-21, 313, 314; unilaterialis 310; viperina 21
- Cornularia Persicae 253
- Corticium 424, 443-445
- Corynites 252; robusta 252
- Coscinopeltis 203; **Tetrapteriditis** 203
- Craterellus 260; corrugis 415; cristatus 259, 260; unicolor 415, 416
- Cribraria elegans 377; intricata dictydioides 379; laxa 378; purpurea 377; splendens 378
- Cronartium Malloti 372; occidentale 571; ribicola 571
- Crossospora 371, 372; **Clemensiae** 371, 374; **Malloti** 372; Sawadae 371, 374
- Cryptomycella Pteridis 222
- Cryptomyces 218, 219; maximus 219; Pteridis 249
- Cryptomycina 219; Pteridis 209, 214-217, 219-221, 223, 225, 230, 231, 233, 235, 240-244, 246, 247
- Cryptosporiopsis 117, 748, 749
- Cyathicula quisquiliaris 617
- Cycledum 795; atrum 799
- Cylindrosporium 170, 222
- Cymadothea 424
- Cyphella muscigena 259, 260
- Cystobasidium 427, 432
- Cystopus 49; candidus 51
- Cytospora 431

- Dacryomitra 436
 Dacryomyces 433-436, 446; deliquescens 434, 435
 Dactylaria 456, 457, 467; brochopaga 448-450, 467; candida 462; **haptospora** 459, 460, 467, 469; thaumasia 452, 467, 469
 Dactylella 467; asthenopaga 457; bembicodes 448-450, 452, 468; **doedycoides** 454, 455, 469; ellipsospora 457; leptospora 459, 462; spermatophaga 467; tenuis 463
 Dasyscypha 137, 138, 147, 731; **Acanthonitschkeae** 729, 730; Agassizii 142, 144, 147; calyciformis 140, 141; calycina 137; **ciliata** 141, 143-147; Ellisiana 137, 147; episphaeria 731; **fasciculata** 397; Pini 144, 147; **Pseudotsugae** 138-141, 144-146; Willkommii 137, 138, 141, 146, 147
 Delortia 693
 Dematium 108, 109
 Dermatea 122, 123, 736, 739, 745, 748, 749; acerina 123, 749, 750; Alni 112, 117, 120, 810; Ariae 737, 739, 742, 743, 749, 751; Betulae 738, 739; Cerasi 745, 749; ferruginea 811; **Hamamelidis** 737, 742, 743, 749, 751; minuta 748; molliuscula 736, 737, 739, 742, 749, 751; **Viburni** 737, 742, 745, 749, 751; viburnicola 748
 Dermatella 745; Hamamelidis 743, 744, 811; quercina Alni 117, 120
 Dermecia 751
 Desmella Anemimae 293
 Diachea 265, 266, 379; bulbillosa 377; cylindrica 379; miyazakienensis 265, 266; subsessilis 377
 Dianema Harveyi 379, 387
 Diaporthe 6, 10; Citri 176
 Diatractum Ingae 179
 Diatrype nigrospora 327; riograndensis 176
 Diatrypella favacea 407
 Dictyocephalos 696, 697, 700, 701, 706; **attenuatus** 697, 700, 701, 703, 705; curvatus 697, 699-701, 703; strobilinus 702
 Dictyuchus 149, 154, 506, 523, 525, 528, 710, 723, 726; monosporus 505, 523, 711, 721, 722, 725
 Diderma montanum 379, 380; montanum album 379; radiatum 379, 380; radiatum umbilicatum 380; rugosum 380
 Didymium complanatum 380; crustaceum 376; melanospermum 384; nigripes 380; ochroideum 380; squamulosum 379, 380, 384
 Didymopsora Solani-argentei 293
 Didymosphaeria 12; **Chionanthi** 10; **Magnoliae** 11, 12, 15
 Diplanes 148
 Diplostephium 626
 Diplothea 589, 600; tunae 589
 Discohainesia Oenotherae 204
 Dodgea 682; occidentalis 681, 682
 Dothichiza 109-111; Tremulae 111
 Dothichloe 172; atramentosa 174; **discoidea** 174; limitata 174; nigricans 174; subnodosa 175
 Dothidea polyspora 109; Pteridis 220, 250
 Dothidella controversa 202; tintoria 185
 Dothiora 105, 110, 111; asterinospora 592, 593, 596; **polyspora** 105-111; Salicis 107; Sorbi 105, 109, 110; sphaeroides 107; xylostei 111
 Durella 792, 794; atrata 799; atrella 799; atrocyanea 811, 812; atrovina 810; clavispora 803; compressa 810; connivens 810; fuscoatra 806; lecidicola 811; nigrocyanea 811; similis 806; socialis 799; vilis 811
 Echidnodes baccharidincola 204
 Eichleriella 441
 Eleutheromycella 546; mycophila 546
 Eleutheromyces 543, 544, 546; subulatus 546
 Ellisiadothis 204; **Qualeae** 203
 Elsinoe 598
 Encoelia 748
 Endomyces capsulatus 675, 679, 680
 Endophylloides 294; **Degueliae** 293
 Endophyllum 375, 437, 447; Euphorbiae-sylvaticae 437
 Eocronartium 429, 432
 Epichloe nigricans 174
 Epilichen 813, 814
 Erysiphe communis 341; graminis 355; Polygoni 340, 341
 Eutrybliella 820; sabina 820
 Eutypella fraxinicola 176, 407; stellulata 177
 Exidia 441; repanda 442
 Exoascus 447
 Exosporium Tiliae 254, 257
 Femsjonie luteoalba 259, 261
 Fitzpatrickia 730
 Fracchiaea 730, 735; heterogena 177

- Fuligo megaspora* 380
Fusarium 646, 647, 648, 677; *javanicum* 646
Fusidium Pteridis 215, 220
Fusoma rubricosa 43
- Galera crispa* 97, 98; *tenera* 97, 98
Gasterella 31, 32, 35, 39-41, 159, 163, 164; *lutophila* 31, 159, 160
Gasterellopsis 159, 160, 163, **164**, 166, 168; ***silvicola*** 161, 164, **165**, 166, 168
Geaster 394; *radicans* 407
Gelasinospore 488; *tetrasperma* 472, 474-476, 478, 479, 481-485, 487, 488
Gelatinodiscus 756, 758; ***flavidus*** 756-758
Gelatinosporium 739; *fulvum* 737-739
Genuina 541, 544
Gibberella pulicaris 175; *Saubinetii* 175
Gibellula 314, 320, 538; *aranearum* 315, 316
Gloeocystidium 427
Gloeosporium 170, 222, 447, 535; *Pteridis* 222
Gnomonia 2, 6-8, 10; ***pulcherrima*** 392, 402; *ulnea* 8
Gnomoniella 6, 8; ***georgiana*** 8, 11, 15
Gnomonina 2, 3; *ulnea* 2
Godronia 748
Godroniopsis quercea 810
Gonatorrhodiella 539; *coccorum* 539
Goplana mirabilis 431
Gorgoniceps confluens 399; *Guerinisaci* 812; *iowensis* 399
Guepinia 261, 436; ***pennsylvanica*** 259, **261**; *Peziza* 261; *Spathularia* 434, 446; *tortus* 261
Guepiniopsis 261
Guignardia 1-4, 7, 14, 177; *Aesculi* 3; ***atropurpurea*** 177, 199; *Bidwellii* 2-4, 14, 177; ***Bumeliae*** 4, 11, 15; ***punctiformis*** 178, 199; *Stephani* 14
Gymnoascus 706
Gymnosporangium 489, 490, 572; *Betheli* 573; *clavipes* 572; *Cupressi* 489-491; *exiguum* 574; *floriforme* 573; *globosum* 572; *Juniperi-virginianae* 572, 573; *Nidus-avis* 420, 572; *Sabinae* 343, 345
Gyrocephalus 441
Gyrodon 494; *lividus* 494
Gyroporus 494
- Habrostictis aurantiaca* 113
Hamaspora 368-370, 372; *acutissima* 368; *benguetsensis* 368, 372; *Rubi-Sieboldii* 372
Helicobasidium 429, 432; ***candidum*** 689, **692**, 695; *farinaceum* 693
Helicogloea 420, 429, 432, 446; *indica* 420; *intermedia* 430
Helicomycetes 406, 407; *roseus* 398, 406
Helotium atrosulcatum 397
Hemitrichia intorta 381
Heptameria obesa 178
Herpobasidium 429, 432-434; *filicinum* 447
Herpotrichia 179; *albidostoma* 407
Heterochaete 441
Heterosphaeria 791
Histoplasma 675; *capsulatum* 671, 673-680
Holwaya gigantea 811
Humaria tetrica 609, 610, 614
Humarina Waterstonii 396
Humboldtina Bonplandi 178
Hyalopycnis 545; *hyalina* 545; *vitrea* 545
Hyaloria 441
Hymenogaster 40, 41; *Rehsteineri* 41; *verrucosus* 41
Hypocrea sulphurea 407
Hypomyces 646; *Ipomoeae* 646, 648; *rosellus* 648
Hypoxylon 183, 402; *annulatum* 182; *anthracodes* 180; ***aeoplanatum*** 181; *chalybeum* 182; *confluens* 402; *culmorum* 181; *enteroleucum* 183; *exutans* 407; ***foliicola*** 181; *glomiforme* 182; *jecorinum* 407; *Kurzianum* 182; *marginatum* 182; *mediterraneum* 181; *megalosporum* 181; *Murrayi* 182; *regale* 402; *stygium* 182, 407; *truncatum* 182; *udum* 402; *umbrino-velatum* 181; *verrucosum* 181
Hysterographium 792
Hysteropatella clavisporea 792, 810, 812; *Prostii* 792
- Iola* 427, 429
Isaria 314
Ixocomus 493, 494, 499, 503
- Karschia* 793, 813, 814, 820, 821; *advenula* 821; *Bloxami* 814; *crassa* 819; *destructans* 813; *elaespora* 814, 816, 817; *fusi-spora* 814, 817; *imperfecta* 797, 814, 815, 819; *impressa* 820; *lignyota* 792, 797, 814-819; *ni-*

- gerrima 814, 816, 817; nigricans 817; occidentalis 820; patinelloides 820; Pertusariae 820; Riccasoliae 820; Sabinae 820; sphaerioides 818; Strickeri 817; stygia 797, 802, 814-817; Taveliana 814, 817; Trypethelii 821
 Karschiella 813
 Keithia Tsugae 732
 Kordyanella 427
 Kretzschmaria cetrarioides 183
 Krombholzia 494
 Kuehneola 369, 370; Loesneriana 294; **papuana** 368, 369, 370

 Lachnella 791
 Lachnobolus congestus 381
 Lactaria **cognoscibilis** 576, 577, 582, 585; coleopteris 579; **deliciosa** 584; **floridana** 575, 576, 585; hysgina 581; **impercepta** 576, 581, 585; Indigo 586; **insulsa** 579; **limacina** 579, 580, 585; **mutabilis** 578; **paradoxa** 583, 584, 585; **proximella** 578-580, 585; **pseudodeliciosa** 582, 583, 585; **scrobiculata** 577; **subpurpurea** 585, 586; **theiologia** 582; **torminosa** 577, 585; **trivialis** 581; **zonaria** 579
 Laestadia 1-3, 14; **alnea** 2, 3; **carpinea** 4; **Cookeana** 7; **juniperina** 405; **polystigma** 8
 Lagerhemia sphaerospora 812
 Lambertella 609, 611
 Lamprospora Planchonis 389
 Laquearia 791
 Lasiosphaeria 13, 14
 Lecanidion 795, 798, 801, 805; **acericulum** 810; **atratum** 794, 797-799, 802-805, 808, 809, 821; **atrofuscum** 806; **clavisorum** 797, 798, 803-805, 810, 815; **concolor** 799; **corticolum** 803; **Crataegi** 803; **cyaneum** 799; **fuscotratrum** 806, 807; **Hamamelidis** 743; **Henningsii** 799; **indigoticum** 799; **pusillum** 797, 799, 805, 806, 808; **simile** 797, 799, 802, 804, 806, 815; **tetrasporum** 799, 808, 809
 Lecanidium 795
 Lecidea 792, 796
 Leciographa 793, 812; **triseptata** 812
 Lembosia 654, 655, 665, 666; **Melastomarum** 204; **quercina** 655; **Rolfii** 660, 661
 Lepiota 776, 777, 788; **amianthina** 784; **cinnabarina** 786; **granosa** 783; **granulosa** 785; **rugoso-reticulata** 784
 Leptorrhiza 53
 Leptosphaeria 425; **Sacchari** 178
 Leptospora 13; **gregaria** 13
 Licea biforis 381; **castanea** 381; **minima** 381
 Lichen atratus 799, 800; **upsaliensis** 796
 Linearistroma lineare 175
 Linospora 10, 179; **Caprae** 10; **leucospila** 10; **populina** 10
 Lithographa flexella 811
 Lophodermium 400; **Pinastri** 339, 340
 Lycogala epidendrum 381, 382; **epidendrum exiguum** 382, 383; **epidendrum tessellatum** 382, 383; **exiguum** 381-383
 Lycogalopsis Dussii 405; **Solmsii** 405, 407; **subiculosa** 405
 Lycoperdon 405; **Brassicae** 79; **minimum** 79; **oleraceum** 79; **subterraneum** 79; **Wrightii** 407

 Macrosporium 342; **Vitis** 353, 356
 Mainsia cundinamarcensis 623
 Mamiania 9, 14; **Alni** 5, 9, 14
 Mamianiella 9; **Coryli** 9
 Marasmius candidus 262; **magnisporus** 255, 262
 Maravalia Ingae 292, 622
 Margarita metallica 387
 Massariovalsa 324; **sudans** 324
 Mastigosporium 43, 44; **album** 43; **calvum** 43; **cylindricum** 44; **rubricosum** 43, 44
 Megalonectria pseudotrichia 176, 407
 Melampsora 425; **Euphorbiae** 344; **Helioscopiae** 344
 Melanconis 321, 324, 326, 327; **Alni** 330; **Alni marginalis** 323; **chrysostroma carpinigera** 323; **Corni** 322, 324-326, 330; **Everhartii** 322, 329, 330; **Juglandis** 321, 323, 330; **Juglandis Caryae** 321, 322, 325; **Meschuttii** 327; **nigrospora** 321, 322, 327, 330; **thelebola** 326, 330
 Melanconium 330
 Melanocybe 541
 Melanomma 425, 564
 Melanospora 543
 Melaspilea 793, 820
 Meliola 270, 665, 666; **Mataybae** 173; **Mulleri** 173; **Panici** 173; **Teramni** 173; **Thouinia** 173
 Melittosporium 810
 Micropera 736, 739, 745, 749, 750; **Cotoneastri** 740; **Drupacearum** 749; **Sorbi** 739

- Microsphaera* Alni 341; Alni extensa 340
Mollisia 733; melaleuca 811; **Scolecognectriae** 729, 733; tetrica 609-611, 613, 614, 620
Monilia aureofulva 407
Morenoella 654, 655; mollenideae 662; quercina 652, 653, 655, 660-666
Mucor genevensis 630
Mycosphaerella 2, 7, 14, 132, 133, 177, 255, 333, 334, 425, 433; **cercidicola** 131, 134, 135; depazeaeformis 1; fraxinicola 334; *Liriodendri* 254; **nyssaecola** 333, 335; *Sarraceniae* 252; sentina 349
Myriangium 425, 587-590, 593, 596, 597, 600; **asterinosporum** 587, 590, 593, 595, 597; *Curtisii* 588-597, 599, 600; *Duriaei* 172, 587-595, 598, 599; *floridanum* 590, 598; *Montagnei* 588; *Sabaleos* 589; *tuberculans* 590, 597
Myriogenospora 172; *aciculisporea* 175; *Paspali* 175
Myxomycidium 420
Myxosporium 535

Naegelia 529
Naectocymbe 600
Naucoria semiorbicularis 99-102
Nectria 394, 405; *cinnabarina* 175; *conigena* 175; *episphaeria* 407; *Lantanae* 393; *ochroleuca* 407; *rhytidosporea* 407; *sanguinea* 176; *suffulta* 405
Neopeckia 179; *rhodosticta* 178
Neotyphula 429, 432
Neurospora 289, 424, 488, 641; *sitophilae* 446; *tetrasperma* 286, 471, 472, 475, 488, 630
Nitschkia 730
Nummularia 181; *commixta* 181; *commixta applanata* 181; *scriblita* 181

Ocellaria 117; *aurantiaca* 113; *ocellata* 117
Odontotrema inclusum 811; minus 811
Oidium alphitoides 341; *Euonymijaponici* 350, 354; *leucoconium* 350, 355; *monilioides* 355
Oligonema 378; *flavidum* 378; *nitens* 378, 381
Ombrophila 612, 758; *Sejournei* 616
Opegrapha 803; *Lecanactis* 799
Ophiobolus *Cariceti* 178
Ophiocordyceps 317

Ophiodothella 10, 179; *atromaculans* 10; **Bigoniacearum** 178; *Ingae* 179; **leucospila** 10, 11, 15
Ophionectria 406; *Cockerellii* 316, 320; *cylindrothecia* 391, 398, 406, 407
Orbilia *coccinella* 407

Panaeolus *campanulatus* 97, 98; *papilionaceus* 99, 101; *retirugis* 97-99, 101, 102; *solidipes* 97, 98
Parodiella *perisporioides* 179
Parodiopsis 425; *Brachystegiae* 174
Patella 795; *biformis* 799; **contracta** 567, 568; *cubensis* 407; *melaloma* 407, 567
Patellaria 791, 792, 795, 796, 798, 801; *abietina* 810; *acericola* 810; *agyrioides* 810; *applanata* 810; *atrata* 791, 798, 799, 801, 802, 804, 809; *atrata indigotica* 799; *atrofusca* 806, 807; *atrovinosa* 810; *aureococcinea* 810; *biformis* 799; *Bloxami* 814, 817; *californica* 810; *carolinensis* 810; *carpinea* 810; *cenangicola* 810; *clavata* 810; *clavispora* 803, 804, 810; *concolor* 799, 802; *congregata* 810; *connivens* 810; *constipata* 810; *corticola* 803-805; *Crataegi* 803-805; *Cucurbitaria* 810; *culmigena* 799, 802; *cyanea* 799, 801, 802, 811; *cylindrospora* 811; *difformis* 799, 811, 816; *dispersa* 811; *fenestrata* 811; *ferruginea* 811; *flexella* 811; *fuliginea* 811; *fusco-atra* 806, 807; *fusi-sporea* 814, 816; *gnaphaliana* 811; *Hamamelidis* 743, 745, 811; *Henningsii* 799, 801, 803; *hirneola* 811; *Hyperici* 811; *imperfecta* 819; *inclusa* 811; *indigotica* 799, 801, 802, 809; *Lecideola* 811; *leptosperma* 811; *leucochaetes* 811; *lignyota* 817; *livida* 811; *Lonicerae* 811; *lurida* 811; *melaleuca* 811; *melaxantha* 811; *minor* 811; *nigerrima* 814; *nigrocinnabarina* 811; *nigrocyanea* 811; *nigroolivacea* 811; *nigrovirens* 812; *oleosa* 806, 807; *olivacea* 812; *olivaceovirens* 812; *Peckii* 812; *proxima* 792, 812; *pulla* 791, 798; *pulla nigroolivacea* 812; *purpurea* 807; *pusilla* 805; *Ravenelii* 812; *recisa* 812; *rhabarbarina* 112, 118, 812; *Rhododendri* 812; *Rubi* 812; *signata* 812; *similis* 806, 807; *socialis* 799, 801, 802; *sphaerosporea* 812; *Strickeri* 817; *stvgia* 814; *subsida* 812; *subtecta* 812;

- subvelata 812; tetraspora 809, 810; triseptata 812; tuberculosa 812; Verbasci 799, 801, 802; violacea 812; viticola 812
- Patellea 792, 793, 794; commutata 792; cyanea 811; pseudosanguinea 792; stygia 814
- Patinella 793, 794; abietina 810
- Paxillus 494
- Pedilospora 466; dactylopagea 464, 468
- Penicillium 29, 590; intricatum 29
- Penzigia 183, 402; **bermudensis** 402; Berteri 183; conostoma 402; **enteroleuca** 183; frustulosa 402; Kellermanii 402
- Peronospora parasitica 338, 339, 722, 726
- Pezicula 112, 117, 120, 122, 123, 739, 748-751; acericola 123, 749, 750; Alni 112, 115, 117, 119-121, 749; **alnicola** 115, 117, 120, 122, 123, 749; aurantiaca 112, 113, 115, 117, 749; carpinea 810; citrinella 122; Corni 117, 749; Hamamelidis 749; livida 810, 811; pruinosa 749; quercina 120; quercina f. Alni 117; rhabarbarina 812; Rubi 749
- Peziza 758; Arieae 739; atrata 799; calycina 137; firma 613; lignyota 817; Oenotherae 204; Patellaria 799, 801; Sejournei 609-614, 616, 619; vesiculosa 407
- Pezizella Lythri 204
- Phacidium 732, 733, 735; Balsameae 732; expansum 732; infestans 732; infestans Abietis 732; luridum 811; **Tsugae** 729, 731, 732
- Phacorrhiza 53; filiformis 67
- Phaeangella subnitida 739
- Phaeociboria 609, 611, 613, 614; Sejournei 611, 616; tetrica 611, 614
- Phaeofabraea Miconiae 204
- Phakopsora 624; argentinensis 294; columbiana 624; Crotalariae 294; crotonicola 294; Crotonis 294; jatrophiicola 622, 624, 628; tecta 370
- Phellorina 696, 701; strobilina 697, 699, 701, 703
- Phialea Sejournei 612, 616
- Pholiota 777
- Phoma nebulosa 349, 350; tremulae 111; Viticis 349
- Phomatospora 3, 4, 14; Berkeleyi 3; Filarszkyi 3, 14; moravica 4, 14
- Phomopsis abietina 144
- Phragmidium 369; disciflorum 294, 345; Potentillae-canadensis 431; Rubi 537; subcorticium 343-345; violaceum 343, 345
- Phycomyces 522; nitens 528, 726
- Phyllachora 2, 189, 193, 196, 197, 201, 218; **Acalyphae** 189; Anonaceae 190; **anonicola** 190; atromaculans 190; Balansae 190; chloridicola 191; Copaiferae 187; Diocleae 191; **diocleicola** 187, 191; Engleri 191; **fusispora** 191; Ingae 179; insularis 192; **Lundiae** 192, 199; **mabaicola** 193; Machaerii 185; machaeriicola 202; **macroculata** 193, 195; **magnificens** 195, 196; malabarensis 196; mucosa 187; **Mulleri** 195, 196; Panici 197; paraguayana 197; Pazschkeana 197; Petitmengini 197; **phylloplaca** 197, 201; Psychotriae 197; Pteridis 220; pusilla 198; Scleriae 198; Securidacae 199; selenospora 188; sphaerosperma 199; taruma 199; tropicalis 200; venezuelensis 189; vernoniicola 200; **Vicosae** 200, 201
- Phyllachorella 2
- Phyllactinia corylea 340, 342; suffulta 342
- Phylloporus 494
- Phyllosticta 254, 255, 334, 341; guttulata 254; liroidendrica 254, 255; macrospora 254, 255; Nysae 331-333, 335; viridis 334, 335
- Phymatosphaeria 589
- Physalospora Panici 197
- Physarum aeneum 383, 384; albescens 383; aureum 264, 385, 386; bivalve 383, 384; bogoriense 383; cinereum 385; citrinellum 377; globuliferum 384; leucopus 384; Listeri 376; megalosporum 384; melanospermum 384, 385; sessile 264, 385, 386; sulphureum 264, 376, 386; sulphureum sessile 376; **superbum** 385, 386; variabile 386; variabile sessile 385, 386; viride 385
- Phytophthora 726; omnivora 722
- Pistillaria 53-55, 62, 63, 667, 668; **Oryzae** 668, 669
- Plagmopara 803
- Platyglaea 429, 432, 688, 690, 692; blastomyces 692; **fusco-atra** 689, 691, 695; Peniophorae 688, 689, 693, 695; **pustulata** 689, 691, 695
- Pleonectria pseudotrichia 176
- Pleospora 425; herbarum citrorum 338, 342

Pleurage anserina 446, 719, 726
 Pleurophomella 748
 Pleurotus 76, 777, 782, 787; corti-
 catus 782, 789; dryinus 782
 Plicaria Planchonis 389
 Podaxon 696
 Podonectria coccicola 176
 Poetschia 813; Strickeri 817
 Polyporus betulinus 546
 Polystigma ochraceum 354; ru-
 brum 354
 Polystigmia rubra 354
 Polythrincium 23, 447; Trifolii 23
 Poria albobrunnea 257, 262
 Porphyrellus 494
 Pragmophora Lecanactis 799
 Prospodium 295, 296; concinnum
 295; impolitum 295; tecomicola
 295; tuberculatum 295; **Wulfiae**
 295
 Protococcus 588
 Protocoronis 535
 Protogaster 32, 40, 41, 164
 Protohydnum 441
 Protomerulius 441
 Prototrichia metallica 379, 387
 Psathyrella disseminata 99-101
Pseudocollema 758; cartilagineum
757, 758
 Pseudombrophila 758
 Pseudomicrocera 538
 Pseudopeziza Medicaginis 339-341
 Pseudopithyella minuscula 391, 403
 Pseudoplea Briosiana 179
 Pseudothis subcodes 180
 Pseudovalsa Berkeleyi 326; Ulmi
 326
 Psilocybe Foeniseii 99, 100, 102;
 subviscida 97-100, 102
 Puccinia 295, 360, 427, 625, 626,
 628; Acanthospermi 296; aegra
 361; **aegroides** 361, 363; Allii
 296, 346, 347; angustatoides 296;
 Anthephorae 624; Arechavelatae
 296; Asphodelii 347, 348; atra
 297; Bambusarum 297; Cameliae
 297; Cannae 297; Capsici 297,
 622, 625; **capsicicola** 622, 625;
 Cenchrus 297; **citricolor** 360, 363;
 Cleomis 306; congesta 361; cras-
 sipes 297, 298; Cynodontis 298;
 elongata 298; epiphylla 622, 625,
 627; Eupatorii 298; evadens 298;
 fallaciosa 306; flaccida 298; glu-
 marum 347, 348; Gnaphalii 299,
 625; Gouaniae 299; graminis 299,
 447; Haloragidis 361; Helianthi
 488; Heliotropii 625; Henningsii
 299; heterospora 299; Hetero-
 thalami 299; **immensispora** 626;
 insueta 299; **ixeridicola** 363, 371;

Ixeridis 363, 371; Jussiaeae 300;
 Kaernbachii 300; Lantanae 300;
 lateritia 300; Leonotidis 300;
 levis 300; Liabi 626, 627; **liabi-**
cola 626; liberta 301; Malva-
 ceorum 301, 347, 348; medelli-
 nensis 301; **mera** 359, 368;
morebeana 361, 363; nervincola
 626; oblectaneus 301; oblongata
 360; **oblongatoides** 359, 363; ob-
 longula 627; offuscata 301; Oxa-
 lidis 265, 301; paspalicola 301;
 paulensis 302, 625; Pithecoctenii
 302; Poae-sudeticae 622, 625,
 627; Poarum 627; Polygoni-
 amphibii 302, 347, 348; Polym-
 niae 627; Polypogonis 302; Poro-
 phylli 302; Porri 296; Proserpi-
 naeae 361; Psidii 302, 303;
 Pterocauli 303; purpurea 303;
 Rhamni 303; rotundata 303;
 rubigo-vera 304; ruderalia 304;
 Sorghi 304, 446; spilanthalicola
 304; subnitens 306; substriata
 304; unilateralis 622, 628; Vincae
 347, 349
 Puiggarina 193
 Pycnopeziza 611-613, 616, 617;
pachyderma 617; pachyderma
 depressa 618; quisquiliaris 612,
 617; **Sejournei** 616, 619; sympo-
 dialis 616, 618, 619
 Pyrenopeziza gnaphaliana 811
 Pyrenotheca 589
 Pyronema confluens 487
 Pythium 153, 448, 456, 457, 461,
 462
 Queletia 696
 Ramularia Oxalidis 256
 Ravenelia 623; Indigoferae 304;
 Ingae 292, 622, 628; Whetzelii
 623
 Rhagadolonium Cucurbitacearum
 204
 Rhinotrichum 537-539; album 538,
 539; canescens 537; **depaupera-**
tum 540; gossypinum 537; gri-
 seum 537; parvisporum 538;
 simplex 538
 Rhipidium 509, 529; elongatum 506
 Rhizopus 679, 680
 Rhopographus Bambusae 202;
 Zeae 202
 Rhytidhysterium 822
 Rhytidopeziza nigrocinnabarina 811
 Richonia 565
 Rinodina 814
 Roestelia 345; cancellata 345

- Rosellinia 402; aquila 407; Bresadolae minor 183; nitens 182; subverruculosa 183
Rutstroemia 612, 613
- Saccharomycodes Ludwigii 288
Saccoblastia intermedia 430, 447
Santiella oblonga 564; putaminum 564
Saprolegnia 148, 153, 692; torulosa 149
Sapromyces 506, 508-511, 514-516, 519, 521, 522, 525, 526, 529, 710; androgynus 521; elongatus 506; Reinschii 505, 506, 510, 522, 523, 525-529, 710, 712, 721, 722, 726, 727
Sarcoscypha minuscula 391
Schizostoma 696
Scleroderma 396; bermudense 394
Scleroderma concinna 806
Sclerotinia 127, 433; **bifrons** 124-126, 127; **confundens** 126, 127; Gladioli 446; **Whetzelii** 127
Sclerotium **bifrons** 124-127; **complanatum** 67; **fulvum** 70, 71, 73, 74; rhizodes 55, 95; **scutellatum** 67; **semen** 79; **semen Brassicae** 79
Scolecodothopsis Ingae 179
Scoleconectria 733; **scolecospora** 729, 733
Scutula epiblastematica 792
Scutularia carolinensis 810; **cylindrospora** 811; **leucochaetes** 811
Sebacina 441, 443, 444, 684, 686; **globospora** 447; **Pini** 684, 685, 694; **rimosa** 684, 685, 694
Secotium 168; **coprinoides** 166, 167-169; **melanosporum** 168; **olbium** 168
Selenophoma 415; **bromigena** 415; **donacis** 415
Sepedonium 675; **chrysospermum** 671, 673-676, 679; **xylogenum** 671, 673-676, 678-680
Sentobasidium 429, 432, 433, 446; **Polypodii** 429, 431, 432
Septocylindrium 256
Septoria 415; **andrachnes** 352; **bromigena** 415; **donacis** 415; **graminum** 351; **longispora** 256; **piricola** 349, 350; **pistacina** 350, 351; **spiculosa** 256; **Tritici** 350, 351; **Unedonis** 350-352; **Unedonis velanensis** 352; **Urticae** 350, 352
Sirobasidium 441
Sistofrema 443
Solenia candida 407
Solenopeziza aureococcinea 810
Sorosporium Reilianum 447
Sphacelotheca Schweinfurthiana 289; **Sorgi** 286, 289
Sphaerella 14, 132, 255; **Bidwellii** 1-4; **cercidicola** 132, 135; **Cercidis** 132; **nyssaecola** 333; **polystigma** 7
Sphaeria 541, 564; **alneae** 2; **annulata** 182; **annulata depressa** 182; **aquilina** 250; **Brassicae** 79; **carpinea** 4, 6; **Cotoneastri Sorbi** 739; **entomorrhiza** 312; **fimbriata** 9; **leucospila** 10; **marginata** 182; **phomatospora** 3; **pseudotrichia** 176; **pugillus** 547; **pulicaris** 175; **subulata** 542, 543; **truncata** 182; **truncatula** 182; **tunae** 600
Sphaerobolus Carpopobolus 407
Sphaerognomonia 6, 7; **carpinea** 4, 5, 7, 8, 15; **polystigma** 7, 8
Sphaerographium hystricinum 745, 746, 748; **hystricinum Viburni** 745
Sphaeromyxa 541
Sphaeronaema 541-545, 547, 548; **aciculare** 541; **adiposum** 760; **blepharistoma** 545; **Castagnei** 760; **cladoniscum** 541, 544; **cylindricum** 541, 543, 544; **fimbriata** 760; **hystricinum** 745; **Magnoliae** 258; **oxysporum** 545; **pallidum** 739; **rufum** 541; **subulatum** 541-547; **ventricosa** 541; **vitreum** 542
Sphaeronaemella 544-546; **Helvellae** 544; **oxyspora** 544; **subulata** 544-546
Sphaeronema see Sphaeronaema
Sphaeronemina 544
Sphaerophragmium **boanense** 367, 371; **Chevalieri** 367
Sphaerospora brunnea 567
Sphaerostilbe flammea 176
Sphaerulina intermixta 109; **Oryzae** 180
Sphenospora yurimaguasensis 304
Sphinctrina 791
Sporobolomyces 437, 440, 642
Sporormia 425
Sporotrichum 24; **flavicans** 24; **flavicans spicatum** 23, 24, 29, 30
Spumaria alba 380
Stegopezizella 732
Stemonitis 379
Stephanoma tetracoccum 671, 673-676, 679
Stictis 400; **Coccolobii** 392, 399; **graminum** 400; **lophodermioides** 400; **radiata** 400
Stigmatea Robertiana 663, 664, 665
Stigmochora controversa 199, 202
Strobilomyces 494
Stropharia 777; **semiglobata** 97, 98

- Strumella* 254
Synsporium biguttatum 407
Taphrina 155, 156, 158, 266, 408, 409, 411, 413, 414, 427, 752, 755;
Aceris 408, 413, 414; *Alni-japonicae* 156; *amentorum* 155, 411; *bacteriosperma* 752-755; *carnea* 753-755; *Carveri* 266, 267, 408, 413, 414; *Dearnessii* 408-414; *deformans* 204; *filicina* 253; *japonica* 156-158; *lethifera* 408-410, 413, 414; *macrophylla* 156, 157, 158, 411; *occidentalis* 155, 411, 413; *Robinsoniana* 411; *rugosa* 411; *Sacchari* 408, 411, 413, 414
Thamnomycetes Chamissoni 183
Thaxteria 13
Thraustotheca clavata 153, 713
Thyrsidium hedericola carpini 258
Tilletia Tritici 437, 439
Torrubiella 316; *Gibellulae* 315, 316
Torula diversa 393, 401
Trabutia 196
Tranzschelia 431; *punctata* 304
Trematosphaeria 564; *Morthieri* 565
Tremella 441, 442, 447; *mycophaga* 685, 686-688, 694; *simplex* 685, 687, 694; *sphaerica* 79
Tremelodendron 441
Tremellodon 441
Trichia 378; *erecta* 376; *subfusca* 377
Trichoglossum hirsutum 405; *Wrightii* 390, 405
Tricholoma 776, 786, 788; *aurantium* 787
Trichothecium polybrochum 448; *roseum* 350, 355
Tridentaria 461, 464, 468; *carnivora* 463, 464; *implicans* 465, 466, 470
Tripasporina aphanopaga 462
Tritirachium 24, 26, 30; *album* 23, 25, 27-30; *dependens* 25, 26, 28-30; *spicatum* 30
Truncocolumella 681, 682; *citrina* 681, 682; *occidentalis* 682
Tryblidaria 822
Tryblidiella 794, 820, 822; *rufula* 406, 821
Tryblidiopsis 822
Tryblidium 822; *sabinum* 820
Tubercinia Trientalis 437, 439
Tulasnella 424, 441-443, 447
Tylostoma 696
Tympanis 806; *Ariae* 739; *confusa* 801; *fasciculata* 748; *inconstans* 739
Typhula 52-56, 58, 60-65, 73, 76, 79, 83, 85, 87, 89, 91, 93, 95, 667, 668, 670; *Athyrii* 67, 87, 89, 91; *complanata* 68; *erythropus* 52, 53, 67; *filiformis* 53; *graminum* 70, 71, 73, 74, 94, 96; *gyrans* 52, 53, 59, 66, 73-76, 83, 89, 91, 93; *idahoensis* 58, 67, 71, 73, 85, 89; *intermedia* 67, 73, 83, 85, 87, 89, 91; *Itoana* 58, 66, 70, 71, 73, 85, 89, 91, 93; *juncea* 68; *lactea* 79; *latissima* 67, 83, 93; *pertenuis* 66, 83, 85; *phacorrhiza* 52, 53, 59, 60, 65-68, 79, 89, 91, 93; *ramen-tacea* 53; *semen* 79; *sphaeroidea* 59, 66, 74, 87, 91, 93; *stolonifera* 75, 76; *subphacorrhiza* 68; *subulata* 67, 83, 94; *tenuis* 53; *Todei* 52, 53; *umbrina* 58, 66, 77, 83, 89, 91; *variabilis* 60, 62, 66, 73, 79, 81, 91, 93, 94; *Viburni* 66, 76, 87, 89, 91; *villosa* 53; *virgata* 66, 81, 85
Tyromyces graminicola 268
Ucographa 803; *atrata* 799
Uncinula 649; *Jaborosae* 649, 650
Uredinella coccidiophaga 431
Uredo 305, 306, 622; *adapertilis* 373; *Artocarp* 372; *Borreriae* 305; *Callicarpae* 373; *Cassiae-rugosae* 305; *cumula* 373; *Cuphaeae* 305; *Erythroxylinis* 305; *falcifera* 372; *Hymenaeae* 305; *Ingae* 622, 623, 628; *jatrophiicola* 622, 624, 628; *macella* 305; *Malloti* 372; *Melinidis* 305; *Microglossae* 373, 374; *mimica* 374; *morobensis* 372; *Nidularii* 628; *psychotriicola* 305, 306; *Rochaie* 303; *Terminaliae* 306; *Trichiliae* 306; *Triniochloae* 629; *Uleana* 306; *unilateralis* 628; *vicosiana* 306
Urnigera 443, 444
Uromyces 367, 425, 427, 623; *af-finis* 364; *Anguriae* 306; *appendiculatus* 307, 343, 345, 446; *Asclepiadis* 307; *bidenticola* 307, 364; *Blainvillae* 307; *Bomareae* 307; *dolichosporus* 307, 364; *Eragrostidis* 307; *Fabae* 307, 343, 346, 433; *Hedysari-paniculati* 307; *Hellerianus* 308; *imperfectus* 308; *ingicola* 623; *Junci* 346, 347; *leptodermus* 308; *Limonii* 343, 346; *Malloti* 372; *Medicaginis* 308; *novissimus* 308; *orbicularis* 309; *permeritus* 363, 364; *por-censis* 623; *proeminens* 309; *ratus* 309; *Rhyncosporae* 296;

244 4/15

- Scillarum 343, 346; Scleriae 309;
Spermacoces 309; superfixus 308;
Vignae 446; Wedeliae 364
Ustilago 279, 287; Avenae 279, 282,
283, 289; bromivora 275, 289;
bullata 275-277, 279-289; domes-
tica 437, 438; grandis 289; Hor-
dei 279, 282, 283, 289, 437, 438;
levis 279, 282, 283, 289; longis-
sima 437; longissima macrospora
440; Lorentziana 275; nigra 279,
282, 283, 289; nuda 440; Scabi-
osae 437-439; Zeae 286, 289, 447
Valsa 6; leucostoma 180; pugillus
548, 549
Valsaria 327; nigrospora 327
Velutaria 609, 611; tetrica 614
Venturia inaequalis 270
Verrucaria 796
Verticillium 23
Vialaea Ingae 179
Whetstonia 697; strobiliformis 697,
700, 701, 703
Woronina 690
Xerocomus 494
Xylaria 183, 402; allantoidea 184;
anisopleura 184; Chamissonis
183; **coccinea 184**; cubensis 184;
enterogena 184; grammica 184;
scruposa 184; tabacina 184, 185
Zopfia 565
Zythinia 541

